

Spartan Chemical Company

Floor Coatings & Finishes

HARD FLOOR CARE

Because your world is busy enough.



Floor Care Made Simple™

Choosing a floor care program that meets the needs of both those using and maintaining the facility begins with product selection. Facility managers will need to consider the amount of traffic and wear, the maintenance capabilities and plan, and the expectations of building occupants and facility owners. Balancing expected results within the constraints of the facility usage and maintenance program will determine the success of your floor care program. Spartan Chemical offers a complete program of resilient floor care products to meet your critical business needs and make floor care simple.

Floor Sealers



Millennia Bright Dura Prime®

#5560

Millennia Bright Dura Prime is formulated to restore, condition and protect old, damaged or new resilient tile, terrazzo, and linoleum. The formula's ionic cross-linked bond protects the tile by enhancing the strength and durability of the entire laminating system. Once Dura Gloss Laminate is applied over Dura Prime, a tough, durable surface is created to prevent damage and deterioration due to abrasion, scratching, scuffing and wear.

pH (Concentrate): 8.5 – 8.9

Total Solids: 22%

Available Sizes (in gallons): 5, 15, 30, 55, 275, 330



On Base®

#5555

On Base provides a tough, durable protective base that resists water marks and scuffs and keeps scratches from penetrating through to base flooring. Unlike other seals, On Base may be used on a variety of hard floors including resilient tile, rubber, asphalt, vinyl, vinyl asbestos and vinyl composition, synthetic-type gym floors, as well as some types of marble, wood and slate.

pH (Concentrate): 8.0 – 8.5

Total Solids: 22%

Available Sizes (in gallons): 1, 5, 15, 30, 55, 330



Shinline Seal®

#4004

Shinline Seal is a thermoplastic seal specifically designed for use with Upper Limits floor finish. Just two coats of Shinline Seal are needed to condition, seal, and protect a floor. A high-gloss, wet-look appearance is accomplished by building gloss from the first coat of seal to the last coat of finish.

pH (Concentrate): 8.0 – 8.5

Total Solids: 33%

Available Sizes (in gallons): 1, 5, 15, 30, 55, 330



Terra Glaze®

#5810

Terra Glaze is an acrylic polymer seal developed exclusively for use on terrazzo. A 25% solids metal interlock formulation, Terra Glaze conditions, seals, and protects the natural beauty of terrazzo. Once applied, Terra Glaze becomes a hard, tough seal that combats terrazzo's inherent susceptibility to damage and deterioration due to abrasion, scratching, scuffing, and wear.

pH (Concentrate): 8.0 – 8.5

Total Solids: 32%

Available Sizes (in gallons): 1, 5, 15, 30, 55, 330

Floor Finishes



The Fixx

#4046

The Fixx is a premium 25% high solids floor finish that contains patented optically enhanced polymer technology to create depth of gloss and remarkable clarity. The Fixx creates a clear, bright, non-yellowing gloss on floors. The formula provides initial deep gloss that will actually increase over time in response to burnishing. The end result is a durable, burnishable finish with high shine and long life.

pH (Concentrate): 8.0 – 9.0
Total Solids: 34%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330



FloorFront®

#4047

Finally! A high-gloss, low-maintenance floor finish that is also environmentally responsible. Your high-traffic floors demand a superior floor finish, but budgets are lean. Enjoy measurable labor savings with FloorFront. It requires half the burnishing, recoating, and stripping necessary with other zinc-free finishes.

pH (Concentrate): 7.5 – 8.5
Total Solids: 25%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275



Green Solutions® Floor Seal & Finish

#3504

Green Solutions Floor Seal & Finish is an acrylic co-polymer based floor seal and finish. Formulated to contain only trace amounts of zinc, Green Solutions Floor Seal & Finish will not cause problems with sewage effluent. No heavy metals, glycol ether, or formaldehyde. Very low ammonia. Green Solutions Floor Seal & Finish is built to respect the environmental issues of today.

pH (Concentrate): 8.0 – 8.5
Total Solids: 25%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275



iShine®

#4055

iShine is a 25% high solids floor finish that employs patented optically enhanced polymer technology to amplify the overall gloss appearance and clarity of floors. The unique blend possesses cutting edge raw materials to form a high solids finish that provides total protection. iShine is a durable finish that provides maximum protection against scuff marks, water spots, and black heel marks.

pH (Concentrate): 8.0 – 8.5
Total Solids: 32%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330



Millennia Bright Dura Gloss Laminate®

#4060

Millennia Bright Dura Gloss Laminate, transforms and improves traditional acrylic based floor finish technology by creating a crystal clear gloss with brilliant shine. Its excellent clarity allows the natural color of flooring to pass through the Laminate unobstructed. Non-yellowing, even after repeated re-coats, Dura Gloss Laminate provides a tough, durable surface to prevent damage and deterioration.

pH (Concentrate): 8.4 – 8.8
Total Solids: 21%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330

Floor Finishes (continued)



On an' On®

#4073

Non-buff metal interlock floor finish requires fewer coats, reducing labor. A high solids, non-buff, metal interlock floor finish, On an' On combines deep glossy beauty with tough wearability to reduce overall labor costs. Unlike some high-solids floor finishes, On an' On levels smoothly, and is applied with ease.

pH (Concentrate): 8.6 – 8.9
Total Solids: 33%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330



Pro-Shine

#4082

Pro-Shine is a high gloss acrylic emulsion modified with urethane and designed for use with high-speed equipment. Extremely durable and movable, Pro-Shine's quick response to the thermal heat generated by high-speed equipment substantially reduces the time required for removing black heel marks, scratches, and scuffs from heavily trafficked areas.

pH (Concentrate): 9.0
Total Solids: 31%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 330

Choosing a Floor Finish

		DUST MOPPING & WET CLEANING				BURNISH FREQUENCY				RECOATING	TRAFFIC	EXPECTATIONS			INITIAL # OF COATS		EXPERIENCE LEVEL		CLARITY	CERTS.				
		1+ Dust mop/Day	1+ Damp mop or autoscrub/Day	< 1 Dust mop/Day	< 1 Damp mop or autoscrub/Day	0 – 1/Week	1 – 2/Week	3 – 4/Week	5 – 7/Week	Scrub & recoat 1 – 4/Strip cycle	Annual strip out: Infrequent or minimal scrub & recoat	High	Moderate – Low	High gloss/Lower maintenance	High gloss/Higher maintenance	Good gloss/Lower maintenance	1 – 3 Coats	4+ Coats	Rookie	Some/Moderate	Professional	Is clarity of the finish a priority?	Is it Green Seal certified?	Is it UL Classified?
DRY BRIGHT FINISHES	FloorFront®	■	■	■	■	■	■		■	■	■		■				■	■	■	■	■	■	■	■
	iShine®	■	■	■	■	■	■		■	■	■		■			■	■	■	■	■	■	■	■	■
	Millennia Bright Dura Gloss Laminate®	■	■	■	■	■	■		■	■		■		■			■	■	■	■	■	■	■	■
	On an' On®	■	■	■	■	■	■		■	■	■		■			■	■	■	■	■	■	■	■	■
	Sheen 17®	■	■	■	■	■	■		■	■		■			■		■	■	■	■	■	■	■	■
	Sunny-Side®	■	■	■	■	■	■		■	■	■		■			■	■	■	■	■	■	■	■	■
	White Sun®	■	■	■	■	■	■		■	■		■			■		■	■	■	■	■	■	■	■
BURNISHABLE FINISHES	The Fixx	■	■					■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	Green Solutions® Floor Seal & Finish	■	■						■	■		■		■	■	■	■	■	■	■	■	■	■	■
	Pro-Shine	■	■						■	■			■			■	■	■	■	■	■	■	■	■
	Terra Glaze®	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	Trendsetter Sealer/Finish®	■	■						■	■			■			■	■	■	■	■	■	■	■	■
	Upper Limits®	■	■						■	■	■		■			■	■	■	■	■	■	■	■	■

Floor Finishes (continued)



Sheen 17®

#4017

Sheen 17 is a pure acrylic based floor finish providing exceptional clarity and durability. Its pure acrylic foundation creates a clear gloss, permitting the natural floor color to pass through unobstructed. Sheen 17 is recommended for high traffic areas with low maintenance budgets. A favorite in schools, plants, factories, and supermarkets who buff once a week or less.

pH (Concentrate): 8.0 – 8.5
Total Solids: 21%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 330



Sunny-Side®

#4045

Extremely high gloss non-buff finish that levels smoothly to highlight floors with the ultimate shine. This metal inter-lock floor finish has mirror like reflective properties to actually double an image for more visual impact! Sunny-Side will hold its brilliance through numerous detergent moppings and can easily be restored when necessary by spray-buffing.

pH (Concentrate): 8.7 – 9.1
Total Solids: 23%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 330



Trendsetter Sealer/Finish®

#4010

TrendSetter Sealer/Finish provides a wet look gloss, extended durability, and substantial labor savings. A burnishable finish with high shine and long life, TrendSetter is clear and bright and creates excellent initial gloss. The high shine and depth of gloss actually build after repeated burnishing and TrendSetter stays glossy even after numerous scrubs.

pH (Concentrate): 8.8 – 9.0
Total Solids: 28%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330



Upper Limits®

#4090

Upper Limits is an ultra-high speed floor finish featuring clear, hard gloss plus the toughness of thermoplastics. Designed for optimal response to ultra hi-speed burnishing, Upper Limits offers optimal performance plus maximum time and labor saving benefits. Non-powdering and easy to repair and remove, Upper Limits levels and bonds extremely well.

pH (Concentrate): 8.0 – 8.5
Total Solids: 27%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 330



White Sun®

#4050

White Sun diminishes the look of imperfections upon application, making flooring surfaces appear less blemished; creating a better than ever appearance. Gloss and clarity come into focus automatically enhancing the overall look of your floors while intensifying the depth with crystal clear transparency. White Sun has passed the Underwriters Laboratories testing for slip resistance!

pH (Concentrate): 8.0 – 9.0
Total Solids: 23%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330



Specialty Floor Finishes



Glossy Black Floor Finish

#4042

Glossy Black Floor Finish is formulated to meet the unique maintenance requirements of black flooring. A highly durable, scratch and scuff resistant floor coating, Glossy Black Floor Finish is fortified with urethane for extra strength and built to last under heavy traffic conditions. Resistant to equipment skid marks, scratches, and scuffs, this user friendly finish is easy to apply, with no buffing required.

pH (Concentrate): 9.0 – 9.5

Total Solids: 23%

Available Sizes (in gallons): 5



N/C No Charge® Static Dissipative Floor Finish

#4013

N/C No Charge Static Dissipative Finish adds protection from most types of ESD damage while providing exceptional protection against wear and tear for the substrate. The thermoplastic polymers, resins and waxes assist in the dissipation of electrical charges from objects moved across a floor, preventing an accumulation of electrical charges.

pH (Concentrate): 8.0 – 9.0

Total Solids: 30%

Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330

	330 GAL	275 GAL	55 GAL	30 GAL	15 GAL	5 GAL	1 GAL X4
Bounce Back®	#433065		#433055	#433030	#433015	#433005	#433004
The Fixx	#404665	#404660	#404655	#404630	#404615	#404605	#404604
FloorFront®		#404760	#404755	#404730	#404715	#404705	#404704
Glossy Black Floor Finish						#404205	
Green Solutions® Floor Seal & Finish		#350460	#350455	#350430	#350415	#350405	#350404
iShine®	#405565	#405560	#405555	#405530	#405515	#405505	#405504
Millennia Bright Dura Gloss Laminate®	#406065	#406060	#406055	#406030	#406015	#406005	#406004
Millennia Bright Dura Gloss Prime®	#556065	#556060	#556055	#556030	#556015	#556005	
N/C No Charge® Static Dissipative Floor Finish	#401365	#401360	#401355	#401330	#401315	#401305	#401304
On an' On®	#407365	#407360	#407355	#407330	#407315	#407305	#407304
On Base®	#555565		#555555	#555530	#555515	#555505	#555504
Pro-Shine	#408265		#408255	#408230	#408215	#408205	#408204
Sheen 17®	#401765		#401755	#401730	#401715	#401705	#401704
Shineline Seal®	#400465		#400455	#400430	#400415	#400405	#400404
Spraybuff®	#444065		#444055	#444030	#444015		#444004
Super Spraybuff®	#445065		#445055	#445030	#445015		#445004
Terra Glaze®	#581065		#581055	#581030	#581015	#581005	#581004
Trendsetter Sealer/Finish®	#401065	#401060	#401055	#401030	#401015	#401005	#401004
Upper Limits®	#409065		#409055	#409030	#409015	#409005	#409004
White Sun®	#405065	#405060	#405055	#405030	#405015	#405005	#405004

Restorers, Spray Buffs, and Specialty



Bounce Back®

#4330

Bounce Back is a concentrated finish-restorer designed to extend the life of floor finish. When used as part of a routine floor care program, Bounce Back maintains the high gloss of the foundation finish. Bounce Back is an excellent preventative maintenance product which resists scuffs, scratches, and black heel marks.

pH (Concentrate): 8.0 – 8.5
Total Solids: N/A
Available Sizes (in gallons): 1, 5, 15, 30, 55, 330



Spraybuff®

#4440

Spraybuff is a water-based floor maintenance product that cleans and shines in one step. Formulated by using a floor finish and a polymer blended with a high-quality detergent, Spraybuff removes scuffs, black heel marks, and scratches without disturbing the finish on the floor. Routine use of Spraybuff minimizes floor care maintenance expenditures by reducing the cost of stripping, sealing, and refinishing.

pH (Concentrate): 10.0 – 10.5
Total Solids: N/A
Available Sizes (in gallons): 1, 15, 30, 55, 330



SunSwept®

#4064

SunSwept combines acrylic co-polymer-based floor seal and finish, with unique cleaning agents specifically formulated to maintain high gloss floor finishes. This two-in-one product, will not dull, haze or streak existing floor finishes. SunSwept is safe to use on all resilient type floorings and all surfaces unharmed by water. Formulated for use through an automatic scrubber; clean and shine in one easy application.

pH (Concentrate): 7.8 – 8.2
Total Solids: 26%
Available Sizes (in gallons): 1, 5, 15, 30, 55, 275, 330



Super Spraybuff®

#4450

Super Spraybuff is a solvent-based floor maintenance product that cleans and shines in one step. Fortified with a solvent, Super Spraybuff deep cleans and restores high traffic floors. Routine use of Super Spraybuff minimizes floor care maintenance expenditures by reducing the cost of stripping, sealing, and refinishing.

pH (Concentrate): 9.2 – 9.6
Total Solids: 31%
Available Sizes (in gallons): 1, 15, 30, 55, 330

HARD FLOOR CARE



Spartan Chemical Company

**1110 Spartan Drive
Maumee, OH 43537**

1-800-537-8990

www.spartanchemical.com

©SCC 10/21 L0153

