

Safety Data Sheet Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name:	
Product Number:	
Recommended Use:	

STANLEY STEEMER CITRUS SPOTTER 2294 [STANLEY STEEMER PART # 30067, 30069] Carpet cleaner

For Industrial and Institutional Use Only

Uses Advised Against: Manufacturer/Supplier:

Distributed by: Stanley Steemer International, Inc. Dublin, Ohio 43016 800-783-3537 (800-STEEMER) Manufactured by: Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: Transportation/Spill/Leak: 888-314-6171 CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:Category 2Serious Eye Damage/Eye Irritation:Category 1Skin Sensitization:Category 1Aspiration Toxicity:Category 1Flammable LiquidsCategory 4

GHS Label Elements Signal Word:

Symbols:

Danger

Hazard Statements:

Precautionary Statements: Prevention: Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May be fatal if swallowed and enters airways Combustible liquid

Wash hands and any exposed skin thoroughly after handling. Wear protective gloves Wear eye / face protection

	Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Response:	
-Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin	IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical attention.
-Ingestion:	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting.
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Fire: Storage: Disposal:	In case of fire: Use CO2, dry chemical, or foam for extinction Store locked up. Store in a well-ventilated place. Keep cool Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	May be harmful if swallowed Keep out of reach of children NOTE TO PHYSICIAN:

- NOTE TO PHYSICIAN:
- Contains petroleum distillates. Possible aspiration hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
C13-14 Alkane	64742-47-8	40-70
Soy Methyl Esters	67784-80-9	10-30
Undeceth-3	34398-01-1	5-10
Tall Oil	8002-26-4	3-7
Limonene	5989-27-5	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST	FAID MEASURES	

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and	
-Skin Contact:	easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash off immediately with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical attention.	
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.	
-Ingestion:	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting.	
Note to Physicians:	Contains petroleum distillates. Possible aspiration hazard.	
5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media:	Use, Dry chemical, Carbon dioxide, Water spray (fog), Alcohol resistant foam, Move	

Suitable Extinguishing Media:	Use, Dry chemical, Carbon dioxide, Water spray (fog), Alcohol resistant foam, Move containers from fire area if you can do it without risk
Specific Hazards Arising from the Chemical:	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Remove all sources of ignition.
Environmental Precautions: Methods for Clean-Up:	Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Rags, towels or mops soaked with this product are subject to spontaneous combustion if not handled properly. Thoroughly rinse these materials with water to remove product before disposal or discard in special containers designed for this purpose.

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Rags, towels or mops soaked with this product are subject to spontaneous combustion if not handled properly. Thoroughly rinse these materials with water to remove product before disposal or discard in special containers designed for this purpose.
Storage Conditions:	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not store above 125°F. Product will expand and may cause container to swell and possibly rupture. In case of container expansion, carefully vent container.
Suggested Shelf Life:	Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:	None established
Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
<u>Personal Protective Equipment</u> Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	Wear splash goggles. Wear rubber or other chemical-resistant gloves. (neoprene or nitrile is recommended). Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Light yellow
Odor:	Mild Citrus fragrance
pH:	Not applicable
Melting Point / Freezing Point:	No information available
Boiling Point / Boiling Range:	> 204 °C / 399 °F
Flash Point:	81 °C / 179 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available
Upper Flammability Limit:	No information available
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available
Vapor Density:	No information available
Specific Gravity:	0.832
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity:	No information available

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions	: Not expected to occur with normal handling and storage.
Conditions to Avoid:	Heat, flames and sparks.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Pain, redness and cracking of the skin. May cause sensitization by skin contact
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea. Potential for aspiration if swallowed.
Immediate, Delayed, Chronic Effect	S
Product Information:	Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	3016	mg/kg
ATEmix (dermal):	2528	mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
C13-14 Alkane	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h	
64742-47-8				
Tall Oil	> 6000 mg/kg (Rat)	Not Available	Not Available	
8002-26-4				
Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg	> 5 g/kg (Rabbit)	Not Available	
5989-27-5	(Rat)	· · ·		

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or

OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea	
C13-14 Alkane 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available	
Tall Oil 8002-26-4	0.87: 72 h Pseudokirchneriella subcapitata mg/L EC50	5.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 static	Not Available	39.7: 48 h Daphnia magn mg/L EC50	
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	Not Available	
Persistence and Degradal Bioaccumulation:	bility: No information No information No information				
larine Pollutant:	Yes.				
Other Adverse Effects:	No information	on available			
	13. DIS	POSAL CONSIDERAT	IONS		
Disposal of Wastes: Contaminated Packaging:		accordance with federal, standard accordance with federal, standard accordance with federal, standard			
	14. TF	RANSPORT INFORMAT	ΓΙΟΝ		
DOT: Proper Shipping Name: Special Provisions:Not Regulated Non Hazardous Product Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.					
IMDG: UN/ID No: Proper Shipping Name Hazard Class: Packing Group: Marine Pollutant: Additional informatior	9 III Yes. n: According to	ally hazardous product, liquid IMDG Code 2.10.2.7, marine ity of not more than 5 L or 5 k	e pollutants packed in	single or inner packagings	

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory) All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	Yes
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION							
<u>NFPA</u> HMIS	Health Hazards: Health Hazards:	_	Flammability: Flammability:		Instability: 0 Physical Hazards: 0	Special:	N/A
Revision Date: Reasons for Revision:		ul-202 ion, 14					

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet