

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 16-Dec-2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: GLASS CLEANER (BULK)

Product Number: 3030 , 3261 **Recommended Use:** Glass cleaner

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable Liquids Category 4

GHS Label Elements

Signal Word: Warning
Symbols: None

Hazard Statements:

Combustible liquid

Precautionary Statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Wear protective gloves
Wear eye / face protection

Response:

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire: Water spray, fog or alcohol-resistant foam, Carbon dioxide, for extinction

Storage: Store in a well-ventilated place. Keep cool

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed

May cause skin irritation.May cause eye irritation

• Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name CAS No Weight-% 7732-18-5 Water 60-100 Isopropyl Alcohol 67-63-0 1-5 533-96-0 Sodium Sesquicarbonate 0.1-1 Caprylyl/Carpyl Glucoside 68515-73-1 < 0.1 Lauryl Glucoside 110615-47-9 < 0.1 Sodium Myristoyl Sarcosinate 30364-51-3 < 0.1 Fragrance **PROPRIETARY** < 0.1 Ammonium Hydroxide 1336-21-6 < 0.1 CI 74180 1330-38-7 < 0.1 Methylchloroisothiazolinone 26172-55-4 < 0.1 Methylisothiazolinone 2682-20-4 < 0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Revision Date: 16-Dec-2020

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention. -Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Treat symptomatically. Note to Physicians:

5. FIRE-FIGHTING MEASURES

Water spray (fog), Alcohol resistant foam, Carbon dioxide, Move containers from fire area if Suitable Extinguishing Media:

you can do it without risk

Specific Hazards Arising from the

Chemical:

Vapors may travel to areas away from work site before igniting/flashing back to vapor source.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Remove all sources of ignition. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

Environmental Precautions:

Methods for Clean-Up:

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric **Storage Conditions:**

motors and static electricity).

Expiration Date: 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Revision Date: 16-Dec-2020

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm	
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm	
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³	
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm	
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³	
		(vacated) STEL: 1225 mg/m ³	_	
CI 74180	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and	
1330-38-7			mist	
			TWA: 1 mg/m ³ Cu dust and mist	

Provide good general ventilation. **Engineering Controls:**

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Respiratory Protection:

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid		
Color:	Clear Blue		
Odor:	Floral fragrance		
pH:	10.0-11.0		
Melting Point / Freezing Point:	No information available		
Boiling Point / Boiling Range:	> 66 °C / 151 °F		
Flash Point:	66 °C / 151 °F Pensky-Martens Closed Cup (PMCC)		
Evaporation Rate:	< 1 (Butyl acetate = 1)		
Flammability (solid, gas)	No information available		
Upper Flammability Limit:	No information available		
Lower Flammability Limit:	No information available		
Vapor Pressure:	No information available		
Vapor Density:	No information available		
Specific Gravity:	0.991		
Solubility(ies):	Soluble in water		
Partition Coefficient:	No information available		
Autoignition Temperature:	No information available		
Decomposition Temperature:	No information available		
Viscosity:	No information available		

10. STABILITY AND REACTIVITY

This material is considered to be non-reactive under normal conditions of use. Reactivity:

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Heat, flames and sparks.

Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products:

11. TOXICOLOGICAL INFORMATION

Revision Date: 16-Dec-2020

Eyes, Skin, Ingestion, Inhalation. Likely Routes of Exposure:

Symptoms of Exposure:

-Eye Contact: Pain and redness. -Skin Contact: Drying of the skin.

Nasal discomfort and coughing. -Inhalation: -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

93928 mg/kg ATEmix (oral): ATEmix (inhalation-dust/mist): 3646.6 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Ammonium Hydroxide 1336-21-6	= 350 mg/kg (Rat)	Not Available	Not Available
CI 74180 1330-38-7	> 5 g/kg (Rat)	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg (Rat)	Not Available	= 1.23 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Ammonium Hydroxide 1336-21-6	Not Available	8.2: 96 h Pimephales promelas mg/L LC50	Not Available	0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

No information available. Persistence and Degradability: **Bioaccumulation:** No information available. Other Adverse Effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.

Revision Date: 16-Dec-2020

Dispose of in accordance with federal, state and local regulations. **Contaminated Packaging:**

14. TRANSPORT INFORMATION

Not Regulated DOT:

Proper Shipping Name: Non-Hazardous Product

Special Provisions: This product qualifies for exemptions outlined in 49CFR 170.150(e)2. Aqueous solutions of

alcohol containing 24% or less alcohol by volume and no other hazardous material is not subject to the requirements of the Class 3 Flammable Liquids subchapter if it contains no

less than 50% water.

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

Not Regulated IMDG:

Non-Hazardous Product **Proper Shipping Name:**

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

This product contains the following listed substances:

SARA 311/312 Hazard Categories

Acute Health Hazard: Yes **Chronic Health Hazard:** Nο Fire Hazard: Yes Sudden release of pressure hazard: No **Reactive Hazard:** Nο

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 2 Instability: 0 Special: N/A

HMIS Health Hazards: 1 Flammability: 2 Physical Hazards: 0

16-Dec-2020 **Revision Date:**

Section, 2, 3, 5, 6, 7, 8, 11, 12, 14, 15, and, 16 Reasons for Revision:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet