

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 05-Apr-2021

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: SPARCHLOR CHLORINATED SANITIZER

Product Number: 3090

**Recommended Use:** No Rinse Sanitizer,

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

**Medical Emergency/Information:** 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin Corrosion/Irritation: Category 1 Sub-category C

Serious Eye Damage/Eye Irritation: Category 1 Corrosive to Metals: Category 1

GHS Label Elements

Signal Word: Danger

Symbols:

Response:

Hazard Statements: Causes severe skin burns and serious eye damage.

May be corrosive to metals.

**Precautionary Statements:** 

**Prevention:** Do not breathe mist, vapors or spray.

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Keep in original or other corrosion resistant container.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**-Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse.

**-Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

-Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Spill: Absorb spillage to prevent material damage.

Storage: Store locked up. Store in corrosion resistant container.

Dispose of contents and container in accordance with local, state and federal regulations. Disposal:

**Hazards Not Otherwise Classified:** Not Applicable

 Corrosive Other Information:

· Harmful if swallowed

• Inhalation of vapors or mist may cause respiratory irritation or damage.

• Do not use or mix with other cleaning products, acids, ammonia or other chemicals. To

Revision Date: 05-Apr-2021

do so may release hazardous gases. Keep out of reach of children

· NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Sodium Hypochlorite	7681-52-9	7-13
Sodium Hydroxide	1310-73-2	0.1-1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Take off immediately all contaminated clothing and shoes. Rinse with water or shower for -Skin Contact:

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash

contaminated clothing before reuse. Discard or destroy contaminated shoes.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR -Ingestion:

PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Specific Hazards Arising from the

Chemical:

Water spray (fog), Carbon dioxide

Combustion products are toxic. Releases oxygen when heated to decomposition which may

intensify fire.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. **Hazardous Combustion Products:** 

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

**Protective Equipment and Precautions for Firefighters:** protective gear. Cool fire-exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions: Methods for Clean-Up:** 

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 05-Apr-2021

#### 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach **Storage Conditions:** 

of children. Keep from freezing.

Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin. **Incompatible Materials:** 

Suggested Shelf Life: 1 year from date of manufacture.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Sodium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

**Engineering Controls:** Provide good general ventilation.

> If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

**Eye/Face Protection:** 

Wear splash goggles. For severe use-conditions, wear a face shield over the goggles. **Skin and Body Protection:** Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other

protective equipment should be considered in order to prevent or minimize contact with this

product.

Not required with expected use. **Respiratory Protection:** 

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:** 

See 29 CFR 1910.132-138 for further guidance.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 05-Apr-2021

Appearance/Physical State:	Liquid		
Color:	Green Yellow		
Odor:	Chlorine		
pH:	12.0-13.0		
Melting Point / Freezing Point:	No information available		
Boiling Point / Boiling Range:	104 °C / 219 °F		
Flash Point:	> 104 °C / > 219 °F ASTM D56		
Evaporation Rate:	< 1 (BuAc = 1)		
Flammability (solid, gas)	No information available		
Upper Flammability Limit:	No information available		
Lower Flammability Limit:	No information available		
Vapor Pressure:	No information available		
Vapor Density:	No information available		
Specific Gravity:	1.1-1.26		
Solubility(ies):	Soluble in water		
Partition Coefficient:	No information available		
Autoignition Temperature:	No information available		
Decomposition Temperature:	No information available		
Viscosity:	No information available		

# 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Contact with acids releases chlorine gas. Contact with ammonia releases chloramine gas.

Contact with aluminum or other reactive metals may release hydrogen gas.

Conditions to Avoid: High temperature accelerates decomposition of product.

Incompatible Materials: Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin. Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

**Products:** Releases oxygen when heated to decomposition which may intensify fire.

# 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness, blistering and possible chemical burn.

**-Inhalation:** Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and

coughing.

-Ingestion: Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and

diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 65600 mg/kg ATEmix (dermal): 80000 mg/kg

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	Not Available	Not Available
7732-18-5			
Sodium Hypochlorite	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	Not Available

7681-52-9
Sodium Hydroxide Not Available = 1350 mg/kg ( Rabbit ) Not Available 1310-73-2

Revision Date: 05-Apr-2021

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Sodium Hypochlorite	Not Available	0.06 - 0.11: 96 h Pimephales	Not Available	0.033 - 0.044: 48 h Daphnia
7681-52-9		promelas mg/L LC50		magna mg/L EC50 Static
		flow-through 4.5 - 7.6: 96 h		
		Pimephales promelas mg/L		
		LC50 static 0.4 - 0.8: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 0.28 - 1: 96 h		
		Lepomis macrochirus mg/L		
		LC50 flow-through 0.05 -		
		0.771: 96 h Oncorhynchus		
		mykiss mg/L LC50		
		flow-through 0.03 - 0.19: 96		
		h Oncorhynchus mykiss		
		mg/L LC50 semi-static 0.18 -		
		0.22: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		
Sodium Hydroxide	Not Available	45.4: 96 h Oncorhynchus	Not Available	Not Available
1310-73-2		mykiss mg/L LC50 static		

Persistence and Degradability:

Bioaccumulation:

No information available.

No information available.

Marine Pollutant: Yes.

Other Adverse Effects: No information available

## 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:**Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.
Dispose of in accordance with federal, state and local regulations.

# **14. TRANSPORT INFORMATION**

DOT:

**UN/ID No:** UN1760

Proper Shipping Name: Corrosive liquids, n.o.s., (contains sodium hypochlorite)

Hazard Class: 8
Packing Group: |||

Reportable Quantity (RQ): For totes add: RQ, I.B.C.

Special Provisions: This product contains a chemical which is listed as a severe marine pollutant according to

DOT. The regulated shipping description is required on all bulk packages (>119 gallons).

Non-bulk shipments are not applicable to this shipping description.

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

**UN/ID No:** UN1760

Proper Shipping Name: Corrosive liquids, n.o.s., (contains sodium hypochlorite), Marine Pollutant

Hazard Class: 8
Packing Group: |||

Reportable Quantity (RQ): For totes add: RQ, I.B.C.

Marine Pollutant: Yes.

Additional information: According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings

with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking

Revision Date: 05-Apr-2021

requirements.

### 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

#### SARA 311/312 Hazard Categories

Acute Health Hazard:YesChronic Health Hazard:NoFire Hazard:NoSudden release of pressure hazard:NoReactive Hazard:No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

#### **EPA Pesticide Registration Number: 5741-20001**

#### **EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label:**

DANGER: Highly Corrosive. Causes severe skin and eye damage or chemical burns to broken skin. May be harmful if swallowed. Wear safety glasses or goggles and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not re-enter until strong odors have dissipated.

#### **16. OTHER INFORMATION**

NFPA Health Hazards: 3 Flammability: 0 Instability: 0 Special: N/A

HMIS Health Hazards: 3 Flammability: 0 Physical Hazards: 0

Revision Date: 05-Apr-2021 Reasons for Revision: Section, 14

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**