

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 24-Jan-2022

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: GLOSSY BLACK FLOOR FINISH

Product Number: 4042
Recommended Use: Floor Finish

Uses Advised Against: For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

## 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Carcinogenicity: Category 2

**GHS Label Elements** 

Signal Word: Warning

Symbols:



Hazard Statements: Suspected of causing cancer

**Precautionary Statements:** 

**Prevention:** Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Response: If exposed or concerned: Get medical attention.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Store locked up.

**Disposal:** Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May cause skin irritation.

May cause eye irritation

• Inhalation of vapors or mist may cause respiratory irritation.

May be harmful if swallowedKeep out of reach of children

Revision Date: 24-Jan-2022

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Acrylate Copolymer	PROPRIETARY	7-13
Ethoxydiglycol	111-90-0	1-5
Modified Rosin Ester	68152-55-6	1-5
Tributoxyethyl Phosphate	78-51-3	1-5
Carbon Black	1333-86-4	1-5
Urethane Acrylic Copolymer	PROPRIETARY	0.1-1
Ammonium Hydroxide	1336-21-6	0.1-1
Polypropylene Polymer	PROPRIETARY	0.1-1
Polyethylene Polymer	PROPRIETARY	0.1-1
Zinc Ammonium Carbonate	38714-47-5	0.1-1
Fluorosurfactant	PROPRIETARY	<0.1
Dimethicone	63148-62-9	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Methylisothiazolinone	2682-20-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. -Skin Contact:

Wash contaminated clothing before reuse.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of

surrounding fire

Specific Hazards Arising from the

Chemical:

Dried product is capable of burning. Combustion products are toxic.

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and Precautions for Firefighters:** protective gear. Cool fire-exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions:** Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water.

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

**Suggested Shelf Life:** 18 months from date of manufacture.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Carbon Black	TWA: 3 mg/m <sup>3</sup> inhalable	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
			TWA: 0.1 mg/m³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

Revision Date: 24-Jan-2022

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection: Wears

Wear splash goggles.

**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid	
Color:	Black	
Odor:	Slight ammonia odor	
pH:	8.6-9.0	
Melting Point / Freezing Point:	No information available	
Boiling Point / Boiling Range:	100 °C / 212 °F	
Flash Point:	> 100 °C / > 212 °F ASTM D56	
Evaporation Rate:	< 1 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available	
Upper Flammability Limit:	No information available	
Lower Flammability Limit:	No information available	
Vapor Pressure:	No information available	
Vapor Density:	No information available	
Specific Gravity:	1.031	
Solubility(ies):	Miscible in water	
Partition Coefficient:	No information available	
Autoignition Temperature:	No information available	
Decomposition Temperature:	No information available	
Viscosity:	No information available	

## 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Revision Date: 24-Jan-2022

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

**Conditions to Avoid:** Extremes of temperature and direct sunlight. **Incompatible Materials:** Strong oxidizing agents. Strong acids.

**Hazardous Decomposition** 

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain and redness. -Skin Contact: Drying of the skin.

-Inhalation: Nasal discomfort and coughing. -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Lymphatic System. Respiratory System.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 73062 mg/kg ATEmix (dermal): 49801 mg/kg ATEmix (inhalation-dust/mist): 64.7 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Ethoxydiglycol 111-90-0	= 10502 mg/kg (Rat)	= 9143 mg/kg ( Rabbit )	> 5240 mg/m³ (Rat) 4 h
Tributoxyethyl Phosphate 78-51-3	= 3 g/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	Not Available	Not Available
Ammonium Hydroxide 1336-21-6	= 350 mg/kg (Rat)	Not Available	Not Available
Dimethicone 63148-62-9	> 24 g/kg (Rat)	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg (Rat)	Not Available	= 1.23 mg/L (Rat) 4 h

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon Black	Not Listed	Group 2B	Not Listed	Listed

IARC (International Agency for Research on Cancer): Group 2B - Possibly Carcinogenic to Humans

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Ethoxydiglycol 111-90-0	Not Available	10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	3940 - 4670: 48 h Daphnia magna mg/L EC50

Tributoxyethyl Phosphate 78-51-3	Not Available	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available
Ammonium Hydroxide 1336-21-6	Not Available	8.2: 96 h Pimephales promelas mg/L LC50	Not Available	0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability:<br/>Bioaccumulation:No information available.Other Adverse Effects:No information available

### 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:**Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.
Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

Proper Shipping Name: Non Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 24-Jan-2022

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non Hazardous Product

## 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### **SARA 313**

This product contains the following listed substances:

## Ethoxydiglycol

CAS No 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

## SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

## **16. OTHER INFORMATION**

Revision Date: 24-Jan-2022

**NFPA Health Hazards: 1** Flammability: 0 Instability: 0 Special: N/A

Flammability: 0 Health Hazards: 1\* Physical Hazards: 0 <u>HMIS</u>

24-Jan-2022 **Revision Date: Reasons for Revision:** Section, 9

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**