

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 06-Jun-2018

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	<b>NEW GENERATION 100 OFF WHITE PART A</b> 5875A Concrete seal For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
<b>GHS Classification</b> Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Skin Sensitization: Carcinogenicity:	Category 2 Category 2A Category 1 Category 2
<u>GHS Label Elements</u> Signal Word: Symbols:	Warning
Hazard Statements:	Causes skin irritation. Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer
Precautionary Statements: Prevention:	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wear eye / face protection Wear protective gloves Wash hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray
Response: -Eyes -Skin	Contaminated work clothing should not be allowed out of the workplace <b>If exposed or concerned: Get medical attention.</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical attention.

-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.	
Storage: Disposal:	Store locked up. Dispose of contents and container in accordance with local, state and federal regulations.	
Hazards Not Otherwise Classified:	Not Applicable	
Other Information:	<ul><li>May be harmful if swallowed.</li><li>Keep out of reach of children.</li></ul>	

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
4,4'-Isopropylidenediphenol/Epichlorohydrin Copolymer	25068-38-6	40-70
Alkyl (C12-C14) Glycidyl Ether	68609-97-2	10-30
Titanium Dioxide	13463-67-7	3-7
polyester resin	PROPRIETARY	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES				
-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.			
-Skin Contact:	Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical attention.			
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.			
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.			
Note to Physicians: Treat symptomatically.				
5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire			
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.			
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.			
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.			

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.		
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.		
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with		
	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)		
	and place in container for disposal according to local / national regulations (see Section 13).		

## 7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

## Storage Conditions:

Suggested Shelf Life:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing. 1 year from date of manufacture.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Titanium Dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total	IDLH: 5000 mg/m <sup>3</sup>
		dust	
Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.		
Personal Protective Equipment			
Eye/Face Protection:	Wear splash goggles.		
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves.		
Respiratory Protection:	Not required with expected use.		
General Hygiene Considerations:	If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered. Wash hands and any exposed skin thoroughly after handling.		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	See 29 CFR 1910.132-138 for		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid	
Color:	Off White	
Odor:	Odorless	
pH:	Not applicable	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	> 205 °C / 401 °F	
Flash Point:	> 100 °C / > 212 °F Estimated	
Evaporation Rate:	< 1 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	1.14	
Solubility(ies):	Insoluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

# **10. STABILITY AND REACTIVITY**

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

# 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.		
Symptoms of Exposure:			
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.		
-Skin Contact:	Pain, redness and cracking of the skin. May cause sensitization by skin contact		
-Inhalation:	Nasal discomfort and coughing.		
-Ingestion:	Pain, nausea, vomiting and diarrhea.		
Immediate, Delayed, Chronic Effect			
Product Information:	Data not available or insufficient for classification.		
Target Organ Effects: Numerical Measures of Toxicity	Lungs. Respiratory System.		

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

12945 mg/kg

#### Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
4,4'-Isopropylidenediphenol/Epichlor ohydrin Copolymer 25068-38-6	= 11400 mg/kg(Rat)	Not Available	Not Available
Alkyl (C12-C14) Glycidyl Ether 68609-97-2	= 17100 mg/kg (Rat)	> 3987 mg/kg (Rabbit)	Not Available
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	Not Available	Not Available

#### Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide	Not Listed	Group 2B	Not Listed	Listed
IADC (International Agancy for Desearch on Cancer), Crown 2B, Dessibly Corpinggonia to Humana				

IARC (International Agency for Research on Cancer): Group 2B - Possibly Carcinogenic to Humans

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Persistence and Degradability: Bioaccumulation:	No information available. No information available.
Other Adverse Effects:	No information available.

## **13. DISPOSAL CONSIDERATIONS**

Disposal of Wastes:	Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:	Dispose of in accordance with federal, state and local regulations.

#### **14. TRANSPORT INFORMATION**

<u>DOT:</u> Proper Shipping Name: Special Provisions:	Not Regulated Non-Hazardous Product Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
IMDG: UN/ID No: Proper Shipping Name: Hazard Class: Packing Group:	UN3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Epoxide Derivatives) 9 III

# **15. REGULATORY INFORMATION**

**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### <u>SARA 313</u>

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION						
NFPA HMIS	Health Hazards: 2 Health Hazards: 2*	Flammability: 1 Flammability: 1	Instability: 0 Physical Hazards: 0	Special: N/A		
Revision Date: Reasons for Revision:	06-Jun-2018 Section 2, 7 and 16					

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet