

Safety Data Sheet Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: | SPARCLEAN DETERGENT II [49] 7649 , 7649I Machine dishwash detergent For Industrial and Institutional Use Only |
|--|---|
| Manufacturer/Supplier: | Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com |
| 24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak: | s: 888-314-6171 CHEMTREC 800-424-9300 |
| | 2. HAZARDS IDENTIFICATION |
| GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Corrosive to Metals: | Category 1 Sub-category B Category 1 Category 1 |
| <u>GHS Label Elements</u> Signal Word: Symbols: | Danger |
| Hazard Statements: | Causes severe skin burns and serious eye damage. |
| Precautionary Statements: Prevention: | May be corrosive to metals. Do not breathe mist, vapors or spray. Wash hands and any exposed skin thoroughly after handling. Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep in original or other corrosion resistant container. |
| Response: -Eyes | IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if |
| -Skin | present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. |
| -Inhalation: | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| -Ingestion: -Specific Treatment: | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. |
| Spill: | Absorb spillage to prevent material damage. |

| Storage: Disposal: | Store locked up. Store in corrosion resistant container. Dispose of contents and container in accordance with local, state and federal regulations. | | |
|-----------------------------------|--|--|--|
| Hazards Not Otherwise Classified: | Not Applicable | | |
| Other Information: | Corrosive Harmful if swallowed Harmful contact may not cause immediate pain. Inhalation of vapors or mist may cause respiratory irritation or damage. Take off and destroy contaminated shoes. | | |

Keep out of reach of children

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------------------------|-------------|----------|
| Water | 7732-18-5 | 60-100 |
| Sodium Hydroxide | 1310-73-2 | 10-30 |
| Trisodium Dicarboxymethyl Alaninate | 164462-16-2 | 1-5 |
| Sodium Polyacrylate | 9003-04-7 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| -Eye Contact: | Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. |
|---------------------|--|
| -Skin Contact: | Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes. |
| -Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. |
| -Ingestion: | Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person. |
| Note to Physicians: | NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. |

5. FIRE-FIGHTING MEASURES

| Suitable Extinguishing Media: | Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire |
|---|---|
| Specific Hazards Arising from the Chemical: | Dried product is capable of burning. Combustion products are toxic. |
| Hazardous Combustion Products: | May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. |
| Protective Equipment and Precautions for Firefighters: | Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray. |

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. |
|----------------------------|--|
| Environmental Precautions: | Do not rinse spill onto the ground, into storm sewers or bodies of water. |
| Methods for Clean-Up: | Prevent further leakage or spillage if safe to do so. Contain and collect spillage with |
| Methous for Clean-op. | non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). |

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

Storage Conditions: Suggested Shelf Life:

of children. Keep from freezing. Minimum of 2 years from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Occupational Exposure Limits: | | | |
|---------------------------------|---|---|------------------------------|
| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
| Sodium Hydroxide | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Engineering Controls: | chemicals above the occupat engineering controls should b | st, fumes, gas, vapors or mists wh ional exposure limits, local exhaus | st ventilation or other |
| Personal Protective Equipment | | | |
| Eye/Face Protection: | Wear splash goggles. For sev | vere use-conditions, wear a face s | hield over the goggles. |
| Skin and Body Protection: | | al-resistant gloves. Use of impervible considered in order to prevent of | |
| Respiratory Protection: | Not required with expected us | se. | |
| General Hygiene Considerations: | If occupational exposure limit NIOSH/MSHA approved resp 3 should be considered. | s are exceeded or respiratory irrita irator suitable for the use-conditio d skin thoroughly after handling. | |
| | See 29 CFR 1910.132-138 fc | or further guidance. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State: | Liquid |
|---------------------------------|--------------------------|
| Color: | Clear |
| Odor: | Mild |
| pH: | 13.5-14.0 |
| Melting Point / Freezing Point: | No information available |
| Boiling Point / Boiling Range: | 100 °C / 212 °F |
| Flash Point: | > 100 °C / > 212 °F |
| Evaporation Rate: | > 1 |
| Flammability (solid, gas) | No information available |
| Upper Flammability Limit: | No information available |
| Lower Flammability Limit: | No information available |
| Vapor Pressure: | No information available |
| Vapor Density: | No information available |
| Specific Gravity: | 1.220 |
| Solubility(ies): | Soluble in water |
| Partition Coefficient: | No information available |
| Autoignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Viscosity: | No information available |

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

| Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials: | Contact with aluminum or other reactive metals may release hydrogen gas. Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. | | |
|--|--|--|--|
| Hazardous Decomposition Products: | May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. | | |
| | 11. TOXICOLOGICAL INFORMATION | | |
| Likely Routes of Exposure: Symptoms of Exposure: | Eyes, Skin, Ingestion, Inhalation. | | |
| -Eye Contact: | Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage. | | |
| -Skin Contact: | Pain, redness, blistering and possible chemical burn. | | |
| -Inhalation: | Irritation or damage to the mucus membranes of the respiratory tract. Inhalation of vapors in high concentration may cause irritation of respiratory system. | | |
| -Ingestion: | Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea. | | |
| Immediate, Delayed, Chronic Effects | 5 | | |
| Product Information: | Data not available or insufficient for classification. | | |
| Target Organ Effects: Numerical Measures of Toxicity | -Eyes. Respiratory SystemSkin. | | |
| | (ATE) are calculated based on the GHS document. | | |
| ATEmix (oral): | 2778 mg/kg | | |
| ATEmix (dermal): | 7500 mg/kg | | |
| | | | |

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|------------------|-----------------------|-----------------|
| Water | > 90 mL/kg (Rat) | Not Available | Not Available |
| 7732-18-5 | | | |
| Sodium Hydroxide 1310-73-2 | Not Available | = 1350 mg/kg (Rabbit) | Not Available |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/A | quatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|-------------------------------|---------------|--------------------------------|--|-------------------------------|---------------|
| Sodium Hydroxide 1310-73-2 | Not Available | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | Not Available |
| Persistence and Degrada | ability: | No informatic No informatic | | | |
| Other Adverse Effects: | | No information | on available | | |

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: US EPA Waste Number: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations. D002

14. TRANSPORT INFORMATION

DOT: UN/ID No:

UN1760

| Proper Shipping Name: Hazard Class: Packing Group: Special Provisions: | Corrosive liquids, n.o.s., (contains sodium hydroxide) 8 II Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation. |
|---|---|
| <u>IMDG:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: | UN1760 Corrosive liquids, n.o.s., (contains sodium hydroxide) 8 II |

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

| SARA 311/312 Hazard Categories | |
|------------------------------------|-----|
| Acute Health Hazard: | Yes |
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | No |

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

| 16. OTHER INFORMATION | | | | | | | | | |
|-----------------------|--------------------------------------|---|--------------------------------|--|---------------------------------------|----------|-----|--|--|
| NFPA HMIS | Health Hazards: Health Hazards: 3 | - | Flammability: Flammability: | | Instability: 1 Physical Hazards: 1 | Special: | N/A | | |

Revision Date:19-Nov-2020Reasons for Revision:Section, 2, 3, and, 7

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet