



Spartan Chemical Company, Inc.

WHMIS Safety Data Sheet

Revision Date: 02-Apr-2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CUTTER EXP HW
Product Number: 2925C
Recommended Use: Cutting fluid
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

Canadian Agent:
Perley-Robertson, Hill & McDougal, LLP
340 Albert Street, Suite 1400
Ottawa, ON, Canada K1R 0A5

Medical Emergency/Information: 888-314-6171 (24 Hour)

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 1
Skin Sensitization: Category 1
Effects on or via Lactation: Effects on or via Lactation:
Specific Target Organ Toxicity (Single Exposure): Category 2
Aspiration Toxicity: Category 1

GHS Label Elements

Signal Word:

Danger

Symbols:



Hazard Statements:

Harmful if inhaled.
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause damage to organs
May cause harm to breast-fed children
May be fatal if swallowed and enters airways

Precautionary Statements:

Prevention:

Obtain special instructions before use
Do not breathe mist, vapors or spray.
Avoid contact during pregnancy/while nursing
Wash hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Wear protective gloves. Wear eye / face protection. Wear protective clothing.
Contaminated work clothing should not be allowed out of the workplace

Response:	If exposed or concerned: Get medical attention.
-Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin	IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical attention.
-Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell
-Ingestion:	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting.
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage:	Store locked up.
Disposal:	Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	<ul style="list-style-type: none"> • May be harmful if swallowed • Keep out of reach of children • NOTE TO PHYSICIAN: • Contains petroleum distillates. Possible aspiration hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrotreated Petroleum Distillates	64742-52-5	30-60
Chlorinated Paraffin	1372804-76-6	10-30
Carboxylic Acid Amine Salt	68953-28-6	5-10
2-Butylaminoethanol	111-75-1	1-5
Tris(n-Hydroxyethyl) Hexahydrotriazine	4719-04-4	1-5
Undeceth-3	34398-01-1	1-5
Water	7732-18-5	1-5
Undecanol	112-42-5	0.1-1.0

The actual concentrations of the components in this product have been withheld as trade secrets.

Other Information: Chlorinated paraffin: CAS No.1372804-76-6 is the TSCA designation. The Canada CAS Number is 85535-85-9.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin Contact:	Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical attention.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
-Ingestion:	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting.
Note to Physicians:	Contains petroleum distillates. Possible aspiration hazard.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Carbon dioxide, Foam, Dry chemical
Specific Hazards Arising from the Chemical:	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Use personal protective equipment as required. Avoid contact with eyes and skin. Avoid contact with skin, eyes or clothing.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Containment:	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe mist, vapors or spray.
Storage Conditions:	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:	None established
Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Wear splash goggles.
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves.
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Brown
Odor:	Mild Amine odor
Odor Threshold:	No information available
pH:	10.0-10.8 (10% emulsion)
Melting Point / Freezing Point:	No information available
Boiling Point / Boiling Range:	> 149 °C / 300 °F
Flash Point:	> 110 °C / > 230 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available
Upper Flammability Limit:	No information available
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available
Vapor Density:	No information available
Specific Gravity:	0.997
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity:	No information available

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness and cracking of the skin. May cause sensitization by skin contact
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea. Potential for aspiration if swallowed.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.
Chronic Toxicity:	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.
Numerical Measures of Toxicity	
The following acute toxicity estimates (ATE) are calculated based on the GHS document.	
ATEmix (oral):	2815 mg/kg
ATEmix (dermal):	2924 mg/kg
ATEmix (inhalation-dust/mist):	3.9 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated Petroleum Distillates 64742-52-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	Not Available
Chlorinated Paraffin 1372804-76-6	= 2000 mg/kg (Rat)	Not Available	Not Available
2-Butylaminoethanol 111-75-1	= 1150 mg/kg (Rat)	Not Available	Not Available
Tris(n-Hydroxyethyl) Hexahydrotriazine 4719-04-4	= 763 mg/kg (Rat)	Not Available	Not Available
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Undecanol 112-42-5	= 3 g/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Hydrotreated Petroleum Distillates 64742-52-5	Not Available	5000: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	1000: 48 h Daphnia magna mg/L EC50
Undecanol 112-42-5	Not Available	1.04: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	Not Available

Persistence and Degradability:	No information available.
Bioaccumulation:	No information available.

Marine Pollutant: Yes

Other Adverse Effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

TDG / DOT:

UN/ID No: UN3082
Proper Shipping Name: Environmentally hazardous liquid, n.o.s., (contains Chlorinated Paraffins (C14-17)), Marine Pollutant
Hazard Class: 9
Packing Group: III
Special Provisions: This product contains a chemical which is listed as a severe marine pollutant according to DOT. The regulated shipping description is required on all bulk packages (>119 gallons). Non-bulk shipments are not applicable to this shipping description. Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG:

UN/ID No: UN3082
Proper Shipping Name: Environmentally hazardous liquid, n.o.s., (contains Chlorinated Paraffins (C14-17)), Marine Pollutant
Hazard Class: 9
Packing Group: III
Marine Pollutant: Yes.
Additional information: According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking requirements.

15. REGULATORY INFORMATION

DSL / NDSL Status: (Domestic Substances List / Non-Domestic Substances List)

The chemical substances in this product are included on or exempt from listing on the Canadian DSL / NDSL.

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards: 2	Flammability: 1	Instability: 0	Special: N/A
<u>HMIS</u>	Health Hazards: 2*	Flammability: 1	Physical Hazards: 0	

Revision Date: 02-Apr-2021
Reasons for Revision: Section 14

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet