

Spartan Chemical Company, Inc. WHMIS Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	CLOTHESLINE FRESH CHLOF 7004C Laundry bleach For Industrial and Institutional Use Only		
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com	Canadian Agent: Perley-Robertson, Hill & McDougal, LLP 340 Albert Street, Suite 1400 Ottawa, ON, Canada K1R 0A5	
Medical Emergency/Information:	888-314-6171 (24 Hour)		
	2. HAZARDS IDENTIFICA	TION	
GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Corrosive to Metals:	Category 1 Sub-category C Category 1 Category 1		
<u>GHS Label Elements</u> Signal Word: Symbols:	Danger		
Hazard Statements:	Causes severe skin burns and serious	eye damage.	
Precautionary Statements: Prevention:	May be corrosive to metals. Do not breathe mist, vapors or spray. Wash hands and any exposed skin tho Wear protective gloves. Wear eye / fac Keep in original or other corrosion resis	ce protection. Wear protective clothing.	
Response: -Eyes	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
-Skin	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water		
-Inhalation:	or shower. Wash contaminated clothing IF INHALED: Remove victim to fresh ail breathing.	r and keep at rest in a position comfortable for	
-Ingestion: -Specific Treatment:	IF SWALLOWED: Rinse mouth. Do NO	T induce vomiting. ST AID MEASURES" for additional information.	
Spill: Storage: Disposal:	Absorb spillage to prevent material dam Store locked up. Store in corrosion resis Dispose of contents and container in ac		

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- CorrosiveHarmful if swallowed
- Inhalation of vapors or mist may cause respiratory irritation or damage.
- Take off and destroy contaminated shoes.
- Do not use or mix with other cleaning products, acids, ammonia or other chemicals. To do so may release hazardous gases.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	80-100
Sodium Hypochlorite	7681-52-9	10-30
Sodium Hydroxide	1310-73-2	0.1-1.0

The actual concentrations of the components in this product have been withheld as trade secrets.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and
•	easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for
	at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash
	contaminated clothing before reuse. Discard or destroy contaminated shoes.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR
	PHYSICIAN. Never give anything by mouth to an unconscious person.
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric
Note to Physiciano.	lavage.
	lavayo.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media:	Water spray (fog), Carbon dioxide
Specific Hazards Arising from the	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition
Chemical:	can lead to release of irritating and toxic gases and vapors. In the event of fire and/or
	explosion do not breathe fumes.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full
Precautions for Firefighters:	protective gear. Cool fire-exposed containers with water spray.
	6. ACCIDENTAL RELEASE MEASURES
Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
	and place in container for disposal according to local / national regulations (see Section 13).
	7. HANDLING AND STORAGE
Advice on Sofe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly
Advice on Safe Handling:	after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach
-	of children. Keep from freezing.
Incompatible Materials:	Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.
·	

Suggested Shelf Life:

1 year from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³
1310-73-2		(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Engineering Controls:	chemicals above the occupa engineering controls should	ist, fumes, gas, vapors or mists wh tional exposure limits, local exhau	st ventilation or other
Personal Protective Equipment	•		
Eye/Face Protection:	Wear splash goggles. For se	vere use-conditions, wear a face s	shield over the goggles.
Skin and Body Protection:		al-resistant gloves. Use of imper- be considered in order to prevent	
Respiratory Protection:		se. ts are exceeded or respiratory irrit pirator suitable for the use-condition	-
General Hygiene Considerations:		ed skin thoroughly after handling. or further guidance.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Green Yellow
Odor:	Chlorine
Odor Threshold:	No information available
pH:	12.0-13.0
Melting Point / Freezing Point:	No information available
Boiling Point / Boiling Range:	104 °C / 219 °F
Flash Point:	> 104 °C / > 219 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available
Upper Flammability Limit:	No information available
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available
Vapor Density:	No information available
Specific Gravity:	1.1-1.26
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity:	No information available

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	: Contact with acids releases chlorine gas. Contact with ammonia releases chloramine gas.
	Contact with aluminum or other reactive metals may release hydrogen gas.
Conditions to Avoid:	High temperature accelerates decomposition of product.
Incompatible Materials:	Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Releases oxygen when heated to decomposition which may intensify fire. Products: **11. TOXICOLOGICAL INFORMATION** Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation. Symptoms of Exposure: -Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage. -Skin Contact: Pain, redness, blistering and possible chemical burn. -Inhalation: Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing. Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and -Ingestion: diarrhea. Immediate, Delayed, Chronic Effects Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	65600	mg/kg
ATEmix (dermal):	80000	mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	Not Available	Not Available
7732-18-5			
Sodium Hypochlorite	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	Not Available
7681-52-9			
Sodium Hydroxide	Not Available	= 1350 mg/kg (Rabbit)	Not Available
1310-73-2			

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Sodium Hypochlorite 7681-52-9	Not Available	0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Static
Sodium Hydroxide 1310-73-2	Not Available	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available

Persistence and Degradability: Bioaccumulation:	No information available. No information available.
Marine Pollutant:	Yes
Other Adverse Effects:	No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: US EPA Waste Number: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations. D002

14. TRANSPORT INFORMATION

<u>TDG / DOT:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Reportable Quantity (RQ):	1760 Corrosive liquids, n.o.s., (contains sodium hypochlorite) 8 III For totes add: RQ, I.B.C.
Special Provisions:	This product contains a chemical which is listed as a severe marine pollutant according to DOT. The regulated shipping description is required on all bulk packages (>119 gallons). Non-bulk shipments are not applicable to this shipping description. Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
IMDG: UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Reportable Quantity (RQ):	UN 1760 Corrosive liquids, n.o.s., (contains sodium hypochlorite), Marine Pollutant 8 III For totes add: RQ, I.B.C.
Marine Pollutant: Additional information:	Yes. According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking requirements.

15. REGULATORY INFORMATION

DSL / NDSL Status: (Domestic Substances List / Non-Domestic Substances List) The chemical substances in this product are included on or exempt from listing on the Canadian DSL / NDSL.

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory) All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards: 3	Flammability: 0	Instability: 1	Special: N/A
HMIS	Health Hazards: 3	Flammability: 0	Physical Hazards: 1	

Revision Date:	05-Apr-2021
Reasons for Revision:	Section 14

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet