









Food Processing

sanitation made simple[™]

PROTECT YOUR BRAND

- Cleaning & sanitation solutions
- Eliminate foodborne pathogens
- Support efforts with GFSI, FSMA, SQF, BRC, HACCP, etc.
- Local training, service, and support



HIGH PERFORMANCE PRODUCTS

For over 60 years Spartan has earned wide recognition for its high quality, high performance products. Spartan Research and Development Laboratories are GLP compliant (Good Laboratory Practices). FDA (Food & Drug Administration) regulated products are manufactured in CGMP production facilities (Current Good Manufacturing Practices). All products are extensively field tested to meet the ever-changing needs for improved sanitation in the food industry. Spartan products are so good, they're guaranteed!

Energy Efficient

 Spartan's cleaners, degreasers and sanitizers perform well in hot, warm, or cold water

Compliance with Regulations

- Production facility FDA Registered
- Products are developed to assist compliance with the Food Safety Inspection Service (FSIS), Food Quality Protection Act, FDA Food Code Book, OSHA, and other guidelines

Economical

- Right products combined with training minimizes labor
- Focus on in-use cost
- Application-specific dispensing systems

Employee Training

- · Charts, videos, and product applications
- CompuClean® Sanitation Management Software
- CleanCheck® Training Program
- 9 step sanitation training program







Technical Support

- 70 highly-trained Spartan Regional Managers are readily available for field support
- Validate cleaning with ATP units, which use bioluminescence to verify and validate that a surface has been cleaned. ATP units are available for a discount through Hygiena (www.hygiena.net).
- We can help make sure your Sanitation Program is in compliance with third-party audits (SQF, BRC, AIB, etc.)

Environmental Commitment

- Conform to or surpass strict guidelines of the EPA Clean Water Act
- Spartan products are packaged in recyclable, reusable, and/or disposable containers

Recent reports of E. coli, salmonella, listeria, cryptosporidium, and cyclospora outbreaks in the meat, poultry, vegetable, and fruit processing industries have resulted in tragic loss of life, serious public concern, and tremendous loss of profits.

This situation presents a new paradigm for food processors... the need to implement more effective food safety functions and comply with FDA and other performance-oriented standards, such as the Hazard Analysis and Critical Control Points (HACCP) Systems, that regulate the meat and poultry industries while maintaining minimal operating costs.

Spartan's Food Plant Sanitation Program includes all the essential elements needed to ensure a clean, sanitized facility. It provides products, equipment, appropriate procedures, and worker-hygiene visual aids to prevent direct product contamination or adulteration and assist the elimination of foodborne bacteria.



FOAMING CAUSTIC/ALKALINE





Heavy-duty alkaline cleaner fortified with bleach.











275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
308060	308055	308030	308015	308005	308004



Chlorinated Plus® • pH 13.5-14.0 • 1-6 oz/gal

Ultra heavy-duty alkaline cleaner fortified with bleach.













275 gal	55 gal	30 gal	15 gal	5 gal
307460	307455	307430	307415	307405



DFP-32[®] • pH 12.4-12.8 • 4-26 oz/gal

Economical, all purpose cleaner.











275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
300860	300855	300830	300815	300805	300804



Foaming Caustic Cleaner FP® • pH 14.0 • 1-12 oz/gal

High-alkaline, high-foam, removes fat, dissolves protein, removes carbonized and greasy soils.













317960 317955 317930 317915 31790	275 gal	gal 55 gal	30 gal	15 gal	5 gal	1
	317960	960 317955	317930	317915	317905	



Inspector's Choice® • pH 13.0-13.5 • 3-6 oz/gal

High-foam, synthetic detergent removes grease, animal and poultry blood and fat.















304560
275 gal

304555 304530 55 gal 30 gal

304515 304504 15 gal 1 gal x4

LOW-FOAM CAUSTIC/ALKALINE



Caustic Cleaner FP® • pH 14.0 • 1-12 oz/gal

High-alkaline, low-foam. Removes fat, dissolves protein, and removes carbonized and greasy soils.















275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
318960	318955	318930	318915	318905	318904



High Performance Alkaline FP • pH 14.0 • 1-6 oz/gal

Highly concentrated versatile alkaline detergent used for brewery cleaning (brew kettles, fermenters, conditioning tanks, and filters), fryer boil-out, smokehouses, and CIP/COP equipment. Effective at removing baked-on soils.















312655 312605 312660 275 gal 55 gal 5 gal



LFC[®] • pH 13.0-14.0 • 2-6 oz/gal

Low-foam alkaline and sodium hypochloride-based product. Removes stains and protein.


















ACID CLEANERS



Acid Blend FP® • pH < 1.0 • 1-6 oz/gal

Nitric phosphoric acid blend used for passivation and to remove inorganic deposits from tank surfaces. Fragrance and dye-free. Removes hard water deposits and alkaline/caustic residue. Low-foam.













312455 312405 55 gal 5 gal





Foaming Acid Cleaner FP® • pH < 1.0 • 1-10 oz/gal

Concentrated phosphoric acid cleans mineral deposits, protein, and hard water scale. High-foam.













275 gal	55 gal	30 gal	15 gal	5 gal
308160	308155	308130	308115	308105



High Acid Cleaner FP® ⋅ pH < 1.0 ⋅ 1-10 oz/gal

Highly active phosphoric-based product. Removes mineral deposits, alkaline residue, etc. Low-foam.

















308260 308255 308230 308215 308205 308	275 gal	Г
	308260	



High Acid Cleaner FP® Phosphate Free • pH < 1.0 • 1-10 oz/gal

Excellent for CIP cleaning and neutralizing applications. Complies with state phosphate regulations.

















275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
309560	309555	309530	309515	309505	309504

GENERAL PURPOSE





Tough on Grease® ⋅ pH 11.7-12.3 ⋅ 12 oz/gal

Water-soluble cleaner/degreaser featuring Polemic Technology to safely remove petroleum grease.



















330 gal	275 gal	55 gal	30 gal	15 nal	5 gal	1 gal v4
203465	203460	203455	203430	203415	203405	203404



Peroxy Protein Remover, Cleaner & Whitener • pH 2.0-3.0 • 1-12 oz/gal

Hydrogen-peroxide-based cleaner removes blood and blood stains from food prep surfaces. Brightens grout.




















382160 382155 275 gal 55 gal 30 gal 15 gal 5 gal 1 gal x4



HARD SURFACE SANITIZERS



Acid Sanitizer FP® • pH < 1.0 • 1 oz/4 gal

Concentrated phosphoric acid, quat-based formula cleans and sanitizes surfaces. No-rinse. EPA Reg. No. 10324-









275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
315460	315455	315430	315415	315405	315404



PAA Sanitizer • pH < 1.0 • 1:20-1:768

Peroxyacetic-acid-based sanitizer. Can be used to sanitizer unprocessed fruits and vegetables. EPA Reg. No. 63838-1-5741.













52 gal	4.7 gal	2.5 gal
312755	312705	312700



Sani-T-10 *Plus*® • pH 7.5 • 0.75-1 oz/4 gal

Quat-based sanitizer. No-rinse sanitizing range of 150 ppm to 400 ppm. EPA Reg. No. 10324-117-5741.













275 gal	55 gal	30 gal	15
315960	315955	315930	315

315905 315904 1 gal x4





Sani-Tyze® • pH 6.0-8.0 • Straight

Food contact surface sanitizer. Ready-to-Use. EPA Reg. No. 10324-107-5741.

















319503 1 qt x12





SparCHLOR* • pH 12.5-13.0 • 1-5 oz/gal

Liquid chlorinated sanitizer. EPA Reg. No. 5741-20001.























275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
309060	309055	309030	309015	309005	309004

SKIN CARE



Lite'n Foamy® E2 Sanitizing Hand Wash • pH 4.0-6.5 • Straight

Foaming, sanitizing hand wash for food services, processing, and handling areas.






















Lite'n Foamy® E3 Hand Sanitizer • pH 4.0-6.5 • Straight

Foaming hand sanitizer for food services, processing, and handling areas.




















3-SINK SYSTEM PRODUCTS





Premium pot and pan detergent concentrate quickly breaks up and removes grease and other food soils.







311165	311155	311130	311115	311105	311104	311103
330 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4	12 qt x12



Golden-Glo™ • pH 7.0-8.0 • 0.25 oz/gal

Heavy-duty, lotionized hand dish washing concentrate.







330 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4	12 qt x12	l
300065	300055	300030	300015	300005	300004	300003	



Sani-T-10 *Plus*® • pH 7.5 • 0.75-1 oz/4 gal

Quat-based sanitizer. No-rinse sanitizing range of 150 ppm to 400 ppm. EPA Reg. No. 10324-117-5741.













275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
315960	315955	315930	315915	315905	315904



SparClean® Pot and Pan Detergent ⋅ pH 7.5-8.0 ⋅ 0.25 oz/gal

Manual dish detergent that quickly penetrates and emulsifies baked-on grease and food.









5 gal	1 gal v/	19 at v10
765605	765604	765603



SparClean® Super Suds • pH 6.5-7.5 • 0.25 oz/gal

Liquid manual dish detergent with long-lasting, thick suds. Fortified with aloe to leave hands soft.













55 gal	5 gal	1
764855	764805	7

764803 **gal** x4 **12 qt** x12

DRAIN MAINTENANCE, WASTEWATER TREATMENT, & ODOR CONTROL

Consume® Drop-in-a-Drain • pH 6.5-8.5









Single-dose natural drain treatment.





320500 336 pk.



Consume® LIQ • pH 8.0-9.0

Liquid wastewater treatment.















310265 310255 310230 310215 310205 55 gal 30 gal 330 gal 15 gal 5 gal



Consume® POW • pH N/A

Powdered wastewater digester.















EGG WASHING



Eggs-So-Clean® Egg Washing Compound • pH 13.5 • 0.5 oz/gal

Washing compound for egg shell washing.







275 gal	55 gal	5 gal
312960	312955	312905



Eggs-So-Clean® pH Booster • pH 14.0 • 1 oz/100 gal

25% caustic solution to ensure pH of eggs is complaint with HACCP.



55 gal	
312555	312505

FLOOR CLEANERS



Industrial Pathmaker® • pH 11.0-12.0 • 1-12 oz/gal

Low-foam detergent. Industrial strength.













008765	008760	008755	008730	008715	008705	008704
330 gal	275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4



Pathmaker • pH 12.1-12.4 • 2-13 oz/gal

Concentrated low-suds cleaner designed specifically for use with automatic floor scrubbing equipment.













330 gal	275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
008565	008560	008555	008530	008515	008505	008504



SC-200™ • pH 13.4-13.9 • 4-12 oz/gal

High alkaline, heavy-duty industrial cleaner.













220060 220055 220030 220015 220005 2200	275 gal	55 gal	30 gal	15 gal	5 gal	1 gal
	220060	220055	220030	220015	220005	2200



SNB-130[®] • pH 13.3-13.7 • 1.5-12 oz/gal

Non-butyl, extra-heavy-duty detergent degreaser formulated for use in industrial and institutional facilities.















213060	213055	213030	213015	213005	213004
275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4

SPECIALTY PRODUCTS



Carcass Wash FP® • pH < 1.0 • 1 oz/5.7-7 gal

Peroxyacetic-acid-based, food-grade microbiocide developed for use in Federally Inspected meat, poultry, and seafood processing locations.



55 gal	5 gal
313355	313305





Foam Additive FP® • pH 7.5-8.5 • 1-12 oz/gal

Foam increaser.









310903 **12 qt** x12



Food Grade Machinery Lubricant • pH N/A

Lubrication for food processing equipment and machinery.











652500 **20 oz** x12

350604

101304







Solvent detergent blend removes dirt, grim, fat, and grease down to -20° F.











55 gal	15 gal	5 gal	1 gal x4
312855	312815	312805	312804







Heavy-duty, high-alkaline, low-foam. Dissolves baked-on carbon.











275 gal	55 gal	5 gal
319160	319155	319105





Green Solutions® Industrial Cleaner • pH 9.0-10.0 • 1-128 oz/gal

Non-toxic, heavy-duty liquid cleaner.

















275 gal	55 gal	30 gal	15 gal	5 gal
350660	350655	350630	350615	350605



GS High Dilution Disinfectant® 256 • pH 6.5-7.5 • 0.5 oz/gal

Fragrance-free and dye-free disinfectant for biosecurity program / vehicle wash







пц	program,	vernoie	wasii.	
	1		1	

275 gal	55 gal	30 gal	15 gal	5 gal	1 gal x4
350860	350855	350830	350815	350805	350804



metaquat[®] • pH 12.8-13.1 • 2-6 oz/gal

EPA Registered disinfectant. At 6 oz/gal effective against Listeria monocytogenes and E-Coli 0157:H7. At 2 oz/gal effective against Salmonella entereca. EPA Reg. No. 5741-12

















330 gal	55 gal	30 gal	15 gal	5 gal
101365	101355	101330	101315	101305





Oven & Grill Cleaner • pH 13.5-14.0 • Straight-12 oz/gal

Removes baked-on grease, carbon, and food deposits from ovens, grills, drip pans, and deep fat fryers.















DISPENSERS & DILUTION CONTROL



UB Selecto • #920600

Multi-purpose sprayer and foamer. The UB Selecto comes with a 50 ft, 1/2 diameter hose and a foam/spray wand. Rugged, machined polypropylene. Choose from spray or foam applications remotely. Foam clean, rinse, and sanitize using two different chemicals.



ChemSelect® • #908000

Wash/Rinse/Sanitize Dispenser for use in meat rooms, food processing and industrial applications.



Foam-It® 20 • #991700

20 gallon portable foam cleaning system applies thick, clinging foam solution to vertical and horizontal surfaces. Equipped with 30 feet of 3/4 inch discharge foam hose. Weighs only 56 lbs and is easy to operate.



Foam Gun Model #481 • #997300

This portable foam gun is an excellent application tool for cleaners, degreasers, and sanitizers. No guesswork for proper dilutions, color-coded metering tips provide a sure concentration, so no product is wasted.



SpartaSprayer 3.0 • #997502

The SpartaSprayer 3.0 is a compact, manual pump-up sprayer with maximum portability for small jobs and spot cleaning. A comfortable grip handle with trigger provides quick on/off control. The 1.5 liter tank features Viton seals for chemical compatibility and easy visibility of product levels.



SinkMaster • #904700

Stainless 3-sink system that dispenses detergent and sanitizer.



Push 3 Sink System • #905900

Dispenses 1 oz per push.



Auto Drain

Accurately and automatically dispense Consume® LIQ for economical drain and grease trap treatment.

- **AC:** #920600
- Battery: #920600



Lite'n Foamy® Dispensers

For use with Lite'n Foamy hand soaps. 1000 ml removable reservoir is easy to clean and refill.

- Push Dispenser: #975600 (White), #975700 (Black)
- Touch-Free Dispenser: #977200 (White), #977300 (Black)

Other Dispensing Units

Doorway sanitizing units help to provide a barrier to limit contaminants in processing plants. Heavyduty foam units help clean efficiently and effectively. Contact your Spartan Regional Manager for more information about these or any other dispenser needs you may have.







TRAINING MATERIALS & SANITATION TOOLS



Chemical Safety Chart • #985100

Bilingual 16.5" x 24.25" laminated chart provides safety information for using acid alkaline, and chlorine-based products.



Food Service Cleaning & Sanitizing Schedule • #989300

Bilingual 23" x 23" laminated wall chart.



Daily Meat Room & Poultry Sanitizing Schedule • #989400

Bilingual 17" x 23" laminated wall chart.



3-Sink System Procedures Chart

Proper procedures for using a 3 Sink System.

- Blue-Glo: #969300
- Pot & Pan Detergent: #969700
- SparClean® Super Suds: #987900



PAA Sanitizer Fruit and Vegetable Wash Chart • #970500

Continuous Spray and Submerge procedures for using PAA Sanitizer for fruit and vegetable wash.



ChemSelect Procedures Chart •

#914400

Procedures for using ChemSelect.



Cutting Board/Table Cleaning Procedures Chart • #914500

Procedures for cleaning cutting boards/tables using ChemSelect.



Wash Hands Sticker • #968300



Hand Washing Procedures Chart

• #996700



3-Sink Fill Line Stickers

- Wash (Super Suds): #918200
- Wash (Pot & Pan Detergent): #918201
- Rinse: #918202
- Sanitize (Sani-T-10* Plus): #918203
- Water: #987800
- Wash (Blue-Glo): #918204



3-Sink System Sanitation Schedules

Four frequency of cleaning sanitation schedules for the grocery industry.

Set of 4: #925305

Deli/Bakery: #925301

Produce: #925302

Seafood: #925303

Meat: #925304



Food Processing Training

Cards • #470000

Color-coded, bilingual cards simplify training and address standardization and safety issues. Heavy-duty laminate provides durability and resistance to acid and caustic products. Easy to read and follow.



Quat Disinfectant Test

Strips • #994900

Test dilution with all Spartan quatbased disinfectants (200–1500 PPM).



Quat Sanitizer Test Strips

• #983800

Test dilution with all Spartan quatbased sanitizers (50–400 PPM).



Insta-Test Strips • #993800

Provides in-use PPM of peracetic acid solution (10–160 PPM).



pH Papers/Spectral 1-14

· #995300

Determines pH of cleaning solution.



Chlorine Test Papers

• #984900

Provides in-use PPM of chlorine sanitizing solution (10–200 PPM).



High Range QAC Test Kit

• #994901

Tests QAC using the Direct Reading Titrator method (0–1000 PPM, 0–5000 PPM with dilution).

FOOD PROCESSING AT A GLANCE

Foaming Caustic/Alkaline

- O Chlorinated Degreaser (3080)
- O Chlorinated Plus® (3074)
- O DFP-32® (3008)
- O Foaming Caustic Cleaner FP® (3179)
- O Inspector's Choice® (3045)

Low-Foam Caustic/Alkaline

- O Caustic Cleaner FP (3189)
- O High Performance Alkaline FP® (3126)
- O LFC® (3075)

Acid Cleaners

- O Acid Blend FP® (3124)
- O High Acid Cleaner FP® (3082)
- O High Acid Cleaner FP® Phosphate Free (3095)
- O Foaming Acid Cleaner FP® (3081)

General Purpose

- O Tough on Grease® (2034)
- O Peroxy Protein Remover, Cleaner & Whitener (3821)

Hard Surface Sanitizers

- O Acid Sanitizer FP® (3154)
- O PAA Sanitizer (3127)
- O Sani-T-10 Plus® (3159)
- Sani-Tyze® (3195)
- SparCHLOR® (3090)

Skin Care

- O Lite'n Foamy® E2 Sanitizing Hand Wash (3339)
- O Lite'n Foamy® E3 Hand Sanitizer (3340)

3-Sink System Products

- O Blue-Glo[™] (3111)
- Golden-Glo[™] (3000)
- O Sani-T-10 Plus® (3159)
- O SparClean® Pot and Pan Detergent (7656)
- O SparClean® Super Suds (7648)

Drain Maintenance, Wastewater Treatment, & Odor Control

- O Consume® Drop-in-a-Drain (3205)
- O Consume® LIQ (3102)
- O Consume® POW (3104)

Egg Washing

- O Eggs-So-Clean® Egg Washing Compound (3129)
- O Eggs-So-Clean® pH Booster (3125)

Floor Cleaners

- O Industrial Pathmaker® (0087)
- O Pathmaker® (0085)
- O SC-200[™] (2200)
- O SNB-130® (2130)

Specialty Products

- O Carcass Wash FP® (3133)
- Foam Additive FP® (3109)
- O Food Grade Machinery Lubricant (6525)
- Freezer Cleaner FP® (3128)
- O Fryer Cleaner FP (3191)
- O Green Solutions® Industrial Cleaner (3506)
- O GS High Dilution Disinfectant® 256 (3508)
- metaquat® (1013)
- Oven & Grill Cleaner (3004)
- O Tough on Grease® (2034)













Distributed by



Spartan Chemical Company, Inc.

1110 Spartan Drive, Maumee, OH 43537 1-800-537-8990 www.spartanchemical.com

Guarantee: Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture. Use product as directed and read all precautionary statements.