

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 08-Nov-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name:	STRATEGIC CLEANER
Product Number:	5822
Recommended Use:	Cleaning agent
Uses Advised Against:	For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc.
	1110 Spartan Drive
	Maumee, Ohio 43537 USA
	800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information:	/s: 888-314-6171
Transportation/Spill/Leak:	CHEMTREC 800-424-9300
·······	
	2. HAZARDS IDENTIFICATION
GHS Classification	
Serious Eye Damage/Eye Irritation:	Category 2A
Flammable Liquids	Category 3
GHS Label Elements	
Signal Word:	Warning
Symbols:	$\overline{\mathbf{A}}$ \mathbf{A}
Hazard Statements:	Causes serious eye irritation
	Flammable liquid and vapor.
Precautionary Statements:	
Prevention:	Wash hands and any exposed skin thoroughly after handling. Wear eye / face protection
	Wear protective gloves
	Keep away from heat/sparks/open flames/hot surfaces. — No smoking
	Keep container tightly closed
	Ground container and receiving equipment.
	Use explosion-proof electrical equipment
	Use only non-sparking tools
Response:	Take precautionary measures against static discharge
-Eyes	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
_,	present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
-Skin	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	or shower.
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire: Storage: Disposal:	Water spray, fog or alcohol-resistant foam, Carbon dioxide, for extinction Store in a well-ventilated place. Keep cool Dispose of contents and container in accordance with local, state and federal regulations			
Hazards Not Otherwise Classified:	Not Applicable			
Other Information:	Harmful if swallowed			

- Causes mild skin irritation.
 - Inhalation of vapors or mist may cause respiratory irritation.
 - Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Isopropyl Alcohol	67-63-0	10-30
Methoxyisopropanol	107-98-2	5-10
C9-11 Pareth-6	68439-46-3	0.1-1
Fragrance	PROPRIETARY	<0.1
Colorant	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.	
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.	
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.	
Note to Physicians:	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

Suitable Extinguishing Media:	Water spray (fog), Alcohol resistant foam, Carbon dioxide, Move containers from fire area if you can do it without risk
Specific Hazards Arising from the Chemical: Hazardous Combustion Products:	Vapors may travel to areas away from work site before igniting/flashing back to vapor source. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Remove all sources of ignition. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions: Methods for Clean-Up:	Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

Storage Conditions:

Suggested Shelf Life:

motors and static electricity). Minimum of 2 years from date of manufacture.

within the z years north date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm	
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm	
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³	
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm	
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³	
		(vacated) STEL: 1225 mg/m ³		
Methoxyisopropanol	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm	
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³	
		(vacated) STEL: 150 ppm	STEL: 150 ppm	
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³	
Engineering Controls: If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.				
Personal Protective Equipment				
Eye/Face Protection:	Wear splash goggles.			
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves.			

General Hygiene Considerations:

Respiratory Protection:

3 should be considered. erations: Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

Not required with expected use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid		
Color:	Light green		
Odor:	solvent		
pH:	9.0-10.0		
Melting Point / Freezing Point:	No information available.		
Boiling Point / Boiling Range:	84 °C / 183 °F		
Flash Point:	36 °C / 97 °F ASTM D56		
Evaporation Rate:	< 1 (Butyl acetate = 1)		
Flammability (solid, gas)	No information available.		
Upper Flammability Limit:	No information available.		
Lower Flammability Limit:	No information available.		
Vapor Pressure:	No information available.		
Vapor Density:	No information available.		
Specific Gravity:	0.974		
Solubility(ies):	Soluble in water		
Partition Coefficient:	No information available.		
Autoignition Temperature:	No information available.		
Decomposition Temperature:	No information available.		
Viscosity:	No information available.		

10. STABILITY AND REACTIVITY

Reactivity: Chemical Stability: This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials:	Not expected to occur with normal handling and storage. Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
	11. TOXICOLOGICAL INFORMATION
Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effect	S
Product Information:	Data not available or insufficient for classification.
Target Organ Effects: Numerical Measures of Toxicity	Central nervous systemEyes. Respiratory SystemSkin.
	(ATE) are calculated based on the GHS document.
ATEmix (oral):	19214 mg/kg
ATEmix (dermal):	53657 mg/kg
ATEmix (inhalation-dust/mist):	428.3 mg/l

Component Acute Toxicity Information

Chemical Name	cal Name Oral LD50 Dermal LD50		Inhalation LC50	
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available	
Isopropyl Alcohol 67-63-0	= 1870 mg/kg(Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³(Rat)4 h	
Methoxyisopropanol 107-98-2	= 5000 mg/kg(Rat)	= 13 g/kg (Rabbit)	> 7559 ppm (Rat)6 h	
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available	

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

FCOtO	VICITY	1
Ecoto	AIGILY	

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
1ethoxyisopropanol 107-98-2	Not Available	20.8: 96 h Pimephales promelas g/L LC50 static	Not Available	23300: 48 h Daphnia magna mg/L EC50

Persistence and Degradability: Bioaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:	Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:	Dispose of in accordance with federal, state and local regulations.
US EPA Waste Number:	D001

14. TRANSPORT INFORMATION

<u>DOT:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Special Provisions:	UN1993 Flammable liquids, n.o.s., (contains isopropanol) 3 III Class 3, Packing Group III materials meet the exception requirements of section 49 CFR 173.150 when individual containers of not more than 1.3 gallons are packed in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified as "Limited Quantity". Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
<u>IMDG:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group:	UN1993 Flammable liquids, n.o.s., (contains isopropanol) 3 III

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	Yes
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

<u>NFPA</u> HMIS Health Hazards: 2 Health Hazards: 2

08-Nov-2019

Section, 3, and, 11

Flammability: 3 Flammability: 3 Instability: 0 Physical Hazards: 0 Special: N/A

Revision Date: Reasons for Revision:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet